

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended


**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

- 1.1. Product identifier**  
Substance / mixture G-LEAF Coating 00001  
UFI mixture U300-F08K-N00J-AV21
- 1.2. Relevant identified uses of the substance or mixture and uses advised against**  
**Mixture's intended use**  
Ingredients for solvent-based paints or coating paint. Industrial uses – coating and paint. Professional uses.  
**Mixture uses advised against**  
Other uses must be evaluated on a case-by-case.  
**Main intended use**  
PC-PNT-OTH Other paints and coating materials
- 1.3. Details of the supplier of the safety data sheet**  
**Manufacturer**  
Name or trade name BeDimensional S.p.A.  
Address Via Lungotorrente Secca, n. 30/r 16163 – Genoa  
Phone (+39) 010 2364170  
E-mail [info@bedimensional.it](mailto:info@bedimensional.it)  
**Competent person responsible for the safety data sheet**  
Name Andrea Gamucci  
E-mail [a.gamucci@bedimensional.it](mailto:a.gamucci@bedimensional.it)
- 1.4. Emergency telephone number**  
Poison Control Center of Milan 02 66101029 (CAV Ospedale Niguarda CaGranda -Milano)

**SECTION 2: Hazards identification**

- 2.1. Classification of the substance or mixture**  
**Classification of the mixture in accordance with Regulation (EC) No 1272/2008**  
The mixture is classified as dangerous.  
  
Skin Irrit. 2, H315  
Skin Sens. 1A, H317  
Eye Irrit. 2, H319  
Aquatic Chronic 3, H412  
  
Full text of all classifications and hazard statements is given in the section 16.  
**Most serious adverse effects on human health and the environment**  
Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Harmful to aquatic life with long lasting effects.
- 2.2. Label elements**  
**Hazard pictogram**  
  
**Signal word**  
Warning  
**Hazardous substances**  
reaction mass of: 5-chloro-2- methyl-4-isothiazolin-3-one [EC no. 247-500-7]and 2-methyl-2H -isothiazol-3- one [EC no. 220-239-6] (3:1)

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**Hazard statements**

|      |  |
|------|--|
| H315 | Causes skin irritation.                            |
| H317 | May cause an allergic skin reaction.               |
| H319 | Causes serious eye irritation.                     |
| H412 | Harmful to aquatic life with long lasting effects. |

**Precautionary statements**

|           |   |
|-----------|---|
| P261      | Avoid breathing vapours.  |
| P264      | Wash hands and exposed parts of the body thoroughly after handling. |
| P280      | Wear protective gloves.   |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.    |
| P337+P313 | If eye irritation persists: Get medical advice/attention.           |
| P362+P364 | Take off contaminated clothing and wash it before reuse.            |

**2.3. Other hazards**

The mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605. Mixture does not contain any substance meet the criteria for PBT or vPvB in accordance with Annex XIII of Regulation (EC) No. 1907/2006 (REACH) as amended.

**SECTION 3: Composition/information on ingredients****3.2. Mixtures****Chemical characterization**

Mixture of substances and additives specified below.

**Mixture contains these hazardous substances and substances with the highest permissible concentration in the working environment**

| Identification numbers                                | Substance name  | Content in % weight | Classification according to Regulation (EC) No 1272/2008   | Note |
|---|---|---------------------|--|------|
| CAS: 1034343-98-0<br>EC: 801-282-5                    | Graphene  | 0-20                | Skin Irrit. 2, H315<br>Eye Irrit. 2, H319<br>STOT SE 3, H335   |      |
| Index: 603-064-00-3<br>CAS: 107-98-2<br>EC: 203-539-1 | 1-methoxy-2-propanol  | <0,4                | Flam. Liq. 3, H226<br>STOT SE 3, H336  | 2    |
| Index: 603-085-00-8<br>CAS: 52-51-7<br>EC: 200-143-0  | bronopol (INN)  | 0,035-<br><0,05     | Acute Tox. 4, H302+H312<br>Skin Irrit. 2, H315<br>Eye Dam. 1, H318<br>STOT SE 3, H335<br>Aquatic Acute 1, H400 (M=10)  | 3    |
| Index: 613-167-00-5<br>CAS: 55965-84-9                | reaction mass of: 5-chloro-2- methyl-4-<br>isothiazolin-3-one [EC no. 247-500-7]and 2<br>-methyl-2H -isothiazol-3- one [EC no. 220-<br>239-6] (3:1) | 0,005-<br><0,01     | Acute Tox. 3, H301<br>Acute Tox. 2, H310+H330<br>Skin Corr. 1C, H314<br>Skin Sens. 1A, H317<br>Eye Dam. 1, H318<br>Aquatic Acute 1, H400 (M=100)<br>Aquatic Chronic 1, H410 (M=100)<br>EUH071<br>Specific concentration limit:<br>Eye Irrit. 2, H319: 0,06 % ≤ C <<br>0,6 %<br>Skin Sens. 1A, H317: C ≥ 0,0015<br>%<br>Skin Irrit. 2, H315: 0,06 % ≤ C <<br>0,6 %<br>Skin Corr. 1C, H314: C ≥ 0,6 %<br>Eye Dam. 1, H318: C ≥ 0,6 % | 1    |

**Notes**

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

- Note B: Some substances (acids, bases, etc.) are placed on the market in aqueous solutions at various concentrations and, therefore, these solutions require different classification and labelling since the hazards vary at different concentrations. In Part 3 entries with Note B have a general designation of the following type: 'nitric acid ... %'. In this case the supplier must state the percentage concentration of the solution on the label. Unless otherwise stated, it is assumed that the percentage concentration is calculated on a weight/weight basis.
- Substance with a Union workplace exposure limit.
- Nanoform

Full text of all classifications and hazard statements is given in the section 16.

**SECTION 4: First aid measures****4.1. Description of first aid measures**

Take care of your own safety. If any health problems are manifested or if in doubt, inform a doctor and show him information from this safety data sheet.

**If inhaled**

Terminate the exposure immediately; move the affected person to fresh air. Protect the person against growing cold. Provide medical treatment if irritation, dyspnoea or other symptoms persist.

**If on skin**

Remove contaminated clothes. Wash the affected area with plenty of water, lukewarm if possible. Soap, soap solution or shampoo should be used if there is no skin injury. Provide medical treatment if skin irritation persists.

**If in eyes**

Rinse eyes immediately with a flow of running water, open the eyelids (also using force if needed); remove contact lenses immediately if worn by the affected person. Rinsing should continue at least for 10 minutes. Provide medical treatment, specialized if possible.

**If swallowed**

Rinse out the mouth with water and provide 2-5 dL of water. Provide medical treatment if the person has any health problems.

**4.2. Most important symptoms and effects, both acute and delayed****If inhaled**

Not expected.

**If on skin**

May cause an allergic skin reaction.

**If in eyes**

Causes serious eye irritation.

**If swallowed**

Irritation, nausea.

**4.3. Indication of any immediate medical attention and special treatment needed**

Symptomatic treatment.

**SECTION 5: Firefighting measures****5.1. Extinguishing media****Suitable extinguishing media**

Alcohol-resistant foam, carbon dioxide, powder, water spray jet, water mist.

**Unsuitable extinguishing media**

Water - full jet.

**5.2. Special hazards arising from the substance or mixture**

In the event of fire, carbon monoxide, carbon dioxide and other toxic gases may arise. Inhalation of hazardous degradation (pyrolysis) products may cause serious health damage.

**5.3. Advice for firefighters**

Self-Contained Breathing Apparatus (SCBA) with a chemical protection suit only where personal (close) contact is likely. Use a self-contained breathing apparatus and full-body protective clothing. Do not allow run-off of contaminated fire extinguishing material to enter drains or surface and ground water.

**SECTION 6: Accidental release measures****6.1. Personal precautions, protective equipment and emergency procedures**

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

Use personal protective equipment for work. Follow the instructions in the Sections 7 and 8. Prevent contact with skin and eyes.

**6.2. Environmental precautions**

Prevent contamination of the soil and entering surface or ground water.

**6.3. Methods and material for containment and cleaning up**

Spilled product should be covered with suitable (non-flammable) absorbing material (sand, diatomaceous earth, earth and other suitable absorption materials); to be contained in well closed containers and removed as per the Section 13. In the event of leakage of the substantial amount of the product, inform fire brigade and other competent bodies. After removal of the product, wash the contaminated site with plenty of water. Do not use solvents.

**6.4. Reference to other sections**

See the Section 7, 8 and 13.

**SECTION 7: Handling and storage****7.1. Precautions for safe handling**

Prevent formation of gases and vapours in concentrations exceeding the occupational exposure limits. Prevent contact with skin and eyes. Contaminated work clothing should not be allowed out of the workplace. Wash hands and exposed parts of the body thoroughly after handling. Use personal protective equipment as per Section 8. Observe valid legal regulations on safety and health protection. Avoid release to the environment.

**7.2. Conditions for safe storage, including any incompatibilities**

Store in tightly closed containers in cold, dry and well ventilated areas designated for this purpose.

**7.3. Specific end use(s)**

not available

**SECTION 8: Exposure controls/personal protection****8.1. Control parameters**

The mixture contains substances for which occupational exposure limits are set.

**European Union****Commission Directive 2000/39/EC**

| Substance name (component)           | Type           | Value                 | Note |
|--------------------------------------|----------------|-----------------------|------|
| 1-methoxy-2-propanol (CAS: 107-98-2) | OEL 8 hours    | 375 mg/m <sup>3</sup> | Skin |
|                                      | OEL 8 hours    | 100 ppm               |      |
|                                      | OEL 15 minutes | 568 mg/m <sup>3</sup> |      |
|                                      | OEL 15 minutes | 150 ppm               |      |

**Italy****Leg. April 9, 2008, no. 81**

| Substance name (component)           | Type                    | Value                 | Note |
|--------------------------------------|-------------------------|-----------------------|------|
| 1-methoxy-2-propanol (CAS: 107-98-2) | 8 hours                 | 375 mg/m <sup>3</sup> | Skin |
|                                      | 8 hours                 | 100 ppm               |      |
|                                      | Short term (15 minutes) | 568 mg/m <sup>3</sup> |      |
|                                      | Short term (15 minutes) | 150 ppm               |      |

**8.2. Exposure controls**

Do not eat, drink and smoke during work. Wash your hands thoroughly with water and soap after work and before breaks for a meal and rest.

**Eye/face protection**

Protective goggles.

**Skin protection**

Hand protection: Protective gloves resistant to the product. When choosing appropriate thickness, material and permeability of the gloves, observe recommendations of their particular manufacturer. Observe other recommendations of the manufacturer. Other protection: protective workwear. Contaminated skin should be washed thoroughly.

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**Respiratory protection**

Halfmask with a filter against organic vapours or a self-contained breathing apparatus as appropriate if exposure limit values of substances are exceeded or in a poorly ventilated environment.

**Thermal hazard**

Not available.

**Environmental exposure controls**

Observe usual measures for protection of the environment, see Section 6.2.

**SECTION 9: Physical and chemical properties****9.1. Information on basic physical and chemical properties**

|  |                    |
|--|--------------------|
| Physical state   | liquid             |
| Colour   | data not available |
| Odour  | data not available |
| Melting point/freezing point   | data not available |
| Boiling point or initial boiling point and boiling range                 | data not available |
| Flammability   | data not available |
| Lower and upper explosion limit  | not applicable     |
| Flash point  | data not available |
| Auto-ignition temperature  | data not available |
| Decomposition temperature  | data not available |
| pH   | data not available |
| Kinematic viscosity  | data not available |
| Solubility in water  | data not available |
| Partition coefficient n-octanol/water (log value)                        | data not available |
| Vapour pressure  | data not available |
| Density and/or relative density  | data not available |
| Relative vapour density  | data not available |
| Particle characteristics   | data not available |
| Form   |                    |
| 1-Heptanol, 2-propyl-, 7EO (CAS: 160875-66-1)                            | liquid             |
| Benzene, mono-C10-13-alkyl derivs., distn. residues (CAS: 84961-70-6)    | liquid             |
| Distillates (petroleum), hydrotreated heavy paraffinic (CAS: 64742-54-7) | liquid             |
| Graphene (CAS: 1034343-98-0)   | solid: bulk        |

**9.2. Other information**

not available

**SECTION 10: Stability and reactivity****10.1. Reactivity**

not available

**10.2. Chemical stability**

The product is stable under normal conditions.

**10.3. Possibility of hazardous reactions**

Unknown.

**10.4. Conditions to avoid**

The product is stable and no degradation occurs under normal use. Protect against flames, sparks, overheating and against frost.

**10.5. Incompatible materials**

Protect against strong acids, bases and oxidizing agents.

**10.6. Hazardous decomposition products**

Not developed under normal uses. Dangerous outcomes such as carbon monoxide and carbon dioxide are formed at high temperature and in fire

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008**

Inhalation of solvent vapors above values exceeding exposure limits for working environment may result in acute inhalation poisoning, depending on the level of concentration and exposure time. No toxicological data is available for the mixture.

**Acute toxicity**

Based on available data the classification criteria are not met.

**Skin corrosion/irritation**

Causes skin irritation.

**Serious eye damage/irritation**

Causes serious eye irritation.

**Respiratory or skin sensitisation**

May cause an allergic skin reaction.

**Germ cell mutagenicity**

Based on available data the classification criteria are not met.

**Carcinogenicity**

Based on available data the classification criteria are not met.

**Reproductive toxicity**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - single exposure**

Based on available data the classification criteria are not met.

**Toxicity for specific target organ - repeated exposure**

Based on available data the classification criteria are not met.

**Aspiration hazard**

Based on available data the classification criteria are not met.

**11.2. Information on other hazards**

not available

**SECTION 12: Ecological information****12.1. Toxicity****Acute toxicity**

Harmful to aquatic life with long lasting effects.

**12.2. Persistence and degradability**

not available

**12.3. Bioaccumulative potential**

Not available.

**12.4. Mobility in soil**

Not available.

**12.5. Results of PBT and vPvB assessment**

Product does not contain any substance meeting the criteria for PBT or vPvB in accordance with the Annex XIII of Regulation (EC) No 1907/2006 (REACH) as amended.

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**12.6. Endocrine disrupting properties**

the mixture does not contain substances with endocrine disrupting properties in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605.

**12.7. Other adverse effects**

Not available.

**SECTION 13: Disposal considerations****13.1. Waste treatment methods**

Hazard of environmental contamination; dispose of the waste in accordance with the local and/or national regulations. Proceed in accordance with valid regulations on waste disposal. Any unused product and contaminated packaging should be put in labelled containers for waste collection and submitted for disposal to a person authorised for waste removal (a specialized company) that is entitled for such activity. Do not empty unused product in drainage systems. The product must not be disposed of with municipal waste. Empty containers may be used at waste incinerators to produce energy or deposited in a dump with appropriate classification. Perfectly cleaned containers can be submitted for recycling.

**Waste management legislation**

Directive 2008/98/EC of the European Parliament and of the Council of 19 November 2008 on waste, as amended. Decision 2000/532/EC establishing a list of wastes, as amended.

**SECTION 14: Transport information****14.1. UN number or ID number**

not subject to transport regulations

**14.2. UN proper shipping name**

not relevant

**14.3. Transport hazard class(es)**

not relevant

**14.4. Packing group**

not relevant

**14.5. Environmental hazards**

not relevant

**14.6. Special precautions for user**

Reference in the Sections 4 to 8.

**14.7. Maritime transport in bulk according to IMO instruments**

not relevant

**Additional information****Air transport - ICAO/IATA**

Packaging instructions passenger 208

**SECTION 15: Regulatory information****15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

Legislative Decree No. 200/2011 - Sanctions for the violation of the provisions on the export and import of dangerous chemical substances - Official Gazette no. 283 of 05 December 2011. Legislative decree no. 81 of 09 April 2008 on health and safety protection of employees in the workplace. Regulation (EC) No. 1907/2006 of the European Parliament and of the Council of 18th December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH), establishing the European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No. 793/93 and Commission Regulation (EC) No. 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC and 2000/21/EC, as amended. Regulation (EC) No. 1272/2008 of the European Parliament and of the Council of 16th December 2008 on classification, labelling and packaging of substances and mixtures, amending and repealing Directives 67/548/EEC and 1999/45/EC, and amending Regulation (EC) No. 1907/2006, as amended.

**15.2. Chemical safety assessment**

not available

**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

**SECTION 16: Other information****A list of standard risk phrases used in the safety data sheet**

|           |   |
|-----------|---|
| H226      | Flammable liquid and vapour.                          |
| H301      | Toxic if swallowed.                                   |
| H314      | Causes severe skin burns and eye damage.              |
| H315      | Causes skin irritation.                               |
| H317      | May cause an allergic skin reaction.                  |
| H318      | Causes serious eye damage.                            |
| H319      | Causes serious eye irritation.                        |
| H335      | May cause respiratory irritation.                     |
| H336      | May cause drowsiness or dizziness.                    |
| H400      | Very toxic to aquatic life.                           |
| H410      | Very toxic to aquatic life with long lasting effects. |
| H412      | Harmful to aquatic life with long lasting effects.    |
| H310+H330 | Fatal in contact with skin or if inhaled.             |
| H302+H312 | Harmful if swallowed or in contact with skin.         |

**Guidelines for safe handling used in the safety data sheet**

|           |   |
|-----------|---|
| P261      | Avoid breathing vapours.  |
| P264      | Wash hands and exposed parts of the body thoroughly after handling. |
| P280      | Wear protective gloves.   |
| P333+P313 | If skin irritation or rash occurs: Get medical advice/attention.    |
| P337+P313 | If eye irritation persists: Get medical advice/attention.           |
| P362+P364 | Take off contaminated clothing and wash it before reuse.            |

**A list of additional standard phrases used in the safety data sheet**

|        |                                     |
|--------|-------------------------------------|
| EUH071 | Corrosive to the respiratory tract. |
|--------|-------------------------------------|

**Other important information about human health protection**

The product must not be - unless specifically approved by the manufacturer/importer - used for purposes other than as per the Section 1. The user is responsible for adherence to all related health protection regulations.

**Key to abbreviations and acronyms used in the safety data sheet**

|         |   |
|---------|---|
| ADR     | European agreement concerning the international carriage of dangerous goods by road               |
| BCF     | Bioconcentration Factor   |
| CAS     | Chemical Abstracts Service  |
| CLP     | Regulation (EC) No 1272/2008 on classification, labelling and packaging of substance and mixtures |
| EC      | Identification code for each substance listed in EINECS   |
| EINECS  | European Inventory of Existing Commercial Chemical Substances                                     |
| EmS     | Emergency plan  |
| EU      | European Union  |
| EuPCS   | European Product Categorisation System  |
| IATA    | International Air Transport Association   |
| IBC     | International Code For The Construction And Equipment of Ships Carrying Dangerous Chemicals       |
| ICAO    | International Civil Aviation Organization   |
| IMDG    | International Maritime Dangerous Goods  |
| INCI    | International Nomenclature of Cosmetic Ingredients  |
| ISO     | International Organization for Standardization  |
| IUPAC   | International Union of Pure and Applied Chemistry   |
| log Kow | Octanol-water partition coefficient   |
| MARPOL  | International Convention for the Prevention of Pollution from Ships                               |
| OEL     | Occupational Exposure Limits  |



**SAFETY DATA SHEET**

according to Regulation (EC) No 1907/2006 (REACH) as amended

**G-LEAF Coating 00001**

|               |                   |         |     |
|---------------|-------------------|---------|-----|
| Creation date | 11th October 2021 | Version | 1.0 |
| Revision date |                   |         |     |

|       |   |
|-------|---|
| PBT   | Persistent, Bioaccumulative and Toxic   |
| ppm   | Parts per million   |
| REACH | Registration, Evaluation, Authorisation and Restriction of Chemicals                              |
| RID   | Agreement on the transport of dangerous goods by rail   |
| UN    | Four-figure identification number of the substance or article taken from the UN Model Regulations |
| UVCB  | Substances of unknown or variable composition, complex reaction products or biological materials  |
| VOC   | Volatile organic compounds  |
| vPvB  | Very Persistent and very Bioaccumulative  |

|                 |  |
|-----------------|--|
| Acute Tox.      | Acute toxicity                                   |
| Aquatic Acute   | Hazardous to the aquatic environment             |
| Aquatic Chronic | Hazardous to the aquatic environment (chronic)   |
| Eye Dam.        | Serious eye damage                               |
| Eye Irrit.      | Eye irritation                                   |
| Flam. Liq.      | Flammable liquid                                 |
| Skin Corr.      | Skin corrosion                                   |
| Skin Irrit.     | Skin irritation                                  |
| Skin Sens.      | Skin sensitization                               |
| STOT SE         | Specific target organ toxicity - single exposure |

**Training guidelines**

Inform the personnel about the recommended ways of use, mandatory protective equipment, first aid and prohibited ways of handling the product.

**Recommended restrictions of use**

not available

**Information about data sources used to compile the Safety Data Sheet**

REGULATION (EC) No. 1907/2006 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL (REACH) as amended.  
REGULATION (EC) No. 1272/2008 OF THE EUROPEAN PARLIAMENT AND OF THE COUNCIL as amended. Data from the manufacturer of the substance / mixture, if available - information from registration dossiers.

**More information**

Classification procedure - calculation method.

**Statement**

The safety data sheet provides information aimed at ensuring safety and health protection at work and environmental protection. The provided information corresponds to the current status of knowledge and experience and complies with valid legal regulations. The information should not be understood as guaranteeing the suitability and usability of the product for a particular application.